


NURSING RESOURCE

Culture of Care

Considering the **culture of healthcare** and framing **how we think about people who use drugs** is one of the most critical and challenging aspects of this work. Many healthcare providers have sustained moral injuries and developed discriminatory thoughts or behaviors related to substance use disorder (SUD).

"Moral injury describes the challenge of simultaneously knowing what care patients need but being unable to provide it due to constraints that are beyond our control."

If people have felt bias or stigma in the past, they may leave AMA² or even avoid seeking life-saving healthcare solely based on prior negative experiences or perceived discrimination. It is vital to be aware of our own perceptions and biases in order to **intentionally reduce stigma** and prioritize excellent patient care.




Empowering Nurses

Human connections that build trust are integral to treating substance use disorder. When nurses intentionally foster communication that **creates a culture that does not discriminate**, we encourage patient engagement in treatment and recognize substance use as a disorder, not an identity.

Equity: The negative consequences of national drug policy have fallen disproportionately on communities of color. Our goal is to **create anti-racist and socially just treatment options** for substance use. As health care providers, nurses should be striving for equity in our approach to SUD treatment by making treatment **accessible and available to all communities**.

Harm Reduction

A key, evidence-based approach for caring for people with SUD is harm reduction. When we treat all patients with respect, we create a space where people who use drugs can actively engage in care because they do not fear stigma, judgment, and discrimination, even if they start using drugs again.



"Harm reduction is incorporating a spectrum of strategies including safer techniques, managed use, and abstinence. [It is also] a framework for understanding structural inequalities (poverty, racism, homophobia, etc). Meeting people "where they're at" but not leaving them there."

Naloxone Distribution

Naloxone Distribution Programs are a vital aspect of harm reduction which empower various people to provide education on and <u>distribute naloxone</u>. Nurses should advocate for all at risk patients to receive naloxone in hand or a prescription on discharge.

Impact of Language

The **language** we use heavily impacts the way care is received. Refer to patients using 'person first' language such as a "person who uses drugs." This acknowledges the person first, rather than identifying them by their drug.

Words Matter. And our decision to use words that de-stigmatize substance use disorder must be intentional.

INSTEAD OF	USE	BECAUSE
Addict User Substance/drug abuser Junkie Alcoholic Drunk Former addict Reformed addict	 Person with opioid use disorder (OUD)/substance use disorder (SUD) or person with opioid addiction Patient Person in recovery or long-term recovery For heavy alcohol use: Unhealthy, harmful, or hazardous alcohol use Person with alcohol use disorder 	 Person-first language. The change shows that a person "has" a problem, rather than "is" the problem. The terms to avoid elicit negative associations, punitive attitudes, and individual blame.
IV drug user	Person who injects drugs	Person-first language.
Habit Relapse	Substance use disorderDrug addictionReturn to use/slip	 Inaccurately implies that a person is choosing to use substances or can choose to stop. "Habit" may undermine the seriousness of the disease.
Clean	For toxicology screen results: Testing negative For non-toxicology purposes: Being in remission or recovery Abstinent from drugs Not drinking or taking drugs Not currently or actively using drugs	 Use clinically accurate, non-stigmatizing terminology the same way it would be used for other medical conditions. Set an example with your own language when treating patients who might use stigmatizing slang. Use of such terms may evoke negative and punitive implicit cognitions.
Dirty	For toxicology screen results: Testing positive For non-toxicology purposes: Person who uses drugs	 Use clinically accurate, non-stigmatizing terminology the same way it would be used for other medical conditions. May decrease patients' sense of hope and self-efficacy for change.

(Adapted from NIDA Words Matter: Terms to Use and Avoid When Talking About Addiction)

TIPS: Take action and destigmatize (From National Harm Reduction Coalition's Respect to Connect: Undoing Stigma)

- Ensure all services are provided in a culture of respect and safety within the workplace
- Review documents and materials to ensure the use of person-first/non-stigmatizing language and change them if necessary
- Emphasize building relationships and trust with people who use drugs as important outcomes
- Consider how past histories of trauma, violence, layers of disadvantage and stigma may affect a person's ability to engage
- Ensure services are grounded in an understanding of how people's health, priorities, and experiences are shaped by the criminalization of drug use

References

CA Bridge is a program of the Public Health Institute. The Public Health Institute promotes health, well-being and quality of life for people throughout California, across the nation, and around the world. © 2021, California Department of Health Care Services.

¹ Dean W, Talbot S, Dean A. Reframing clinician distress: Moral injury not burnout. Fed Pract. 2019 Sep;36(9): 400-402

² Simon R, Snow R, Wakeman S. Understanding why patients with substance use disorders leave the hospital against medical advice: A qualitative study. Subst Abus. 2019 Oct 22;1-7. doi:10.1080/08897077.2019.1671942.

³ Foundations of Harm Reduction. Harm Reduction Coalition. https://harmreduction.org/issues/harm-reduction-basics/foundations-harm-reduction-facts/. Updated October 2, 2020. Accessed October 14, 2020.